

2017 Las Conchitas Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
Intermediate Zone							
SAM17-TR01	at 1.8		vertical	1.40	1.76	1.0	
	at 10.5		vertical	1.70	2.34	3.1	
SAM17-TR02	at 11.5		vertical	1.00	1.59	0.9	
	at 9.7		vertical	1.00	3.45	18.5	
	at 9.9		vertical	1.30	8.88	26.4	
	at 10.5		vertical	1.00	4.39	2.3	3.0 m of 2.27 g/t Au and 4.3 g/t Ag
	at 10.5		vertical	0.80	0.13	0.5	
	at 10.5		vertical	1.20	1.93	8.4	
	at 10.7		vertical	0.70	1.78	9.7	
	at 10.5		vertical	1.10	4.79	4.2	
	at 11.5		vertical	1.10	4.80	17.1	2.1 m of 2.99 g/t Au and 9.9 g/t Ag
	at 10.3		vertical	1.00	1.01	2.0	
at 10.7		vertical	1.50	1.20	2.7		
at 11.5		vertical	1.00	2.37	10.6		
at 11.5		vertical	1.00	2.77	5.0		
SAM17-TR04	23.7	24.7	along dip	1.00	9.95	26.4	
	at 23.8		vertical	0.80	5.23	18.0	sample collected above sample 164218 (hanging wall)
	at 22.2		vertical	1.00	1.08	0.5	sample collected above sample 164218 (hanging wall)
SAM17-TR04 EXT	0.0	1.0	along dip	1.00	4.36	4.1	3.0 m of 7.90 g/t Au and 14.0 g/t Ag
	1.0	2.0	along dip	1.00	8.34	5.2	
	2.0	3.0	along dip	1.00	11.00	32.6	
	at 3.2		vertical	1.00	1.42	4.0	
	at 4.0		vertical	0.70	2.67	6.3	
	at 5.2		vertical	0.80	2.14	6.3	
	at 8.5		vertical	1.00	7.98	7.2	Vertical sample collected between two mineralized intervals (3.0m and 10.8m)
	at 9.5		vertical	1.00	5.98	7.2	Vertical sample collected between two mineralized intervals (3.0m and 10.8m)
	15.5	17.5	along dip	2.00	6.59	3.9	10.8 m of 9.39 g/t Au and 10.8 g/t Ag
	17.5	19.5	along dip	2.00	22.60	29.2	
	19.5	21.0	along dip	1.50	8.54	7.1	
	21.0	22.0	along dip	1.00	8.36	19.5	
	22.0	23.0	along dip	1.00	2.59	3.2	
	23.0	24.0	along dip	1.00	0.68	1.2	
24.0	25.3	along dip	1.30	13.40	11.7		
25.3	26.3	along dip	1.00	1.17	0.8		
at 16.5		vertical	1.00	5.02	6.6	sample taken from a hanging wall of the interval above	
at 18.5		vertical	0.50	12.80	7.9	sample taken from a hanging wall of the interval above	

2017 Las Conchitas Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description	
	From	To						
Mina Francisco Zone								
SAM17-TR06	0.0	1.5	along dip	1.50	1.85	5.9	3.5 m of 3.81 g/t Au and 9.9 g/t Ag	
	1.5	2.5	along dip	1.00	5.36	15.3		
	2.5	3.5	along dip	1.00	5.20	10.4		
	0.0	1.0	along dip	1.00	16.00	7.1	3.0 m of 13.10 g/t Au and 17.9 g/t Ag	
	1.0	2.0	along dip	1.00	10.70	18.8		
	2.0	3.0	along dip	1.00	12.60	27.9		
		7.9	9.2	along dip	1.30	8.51	7.0	
		at 0.5		vertical	0.60	5.20	4.0	
	at 1.5		vertical	0.70	1.80	5.7		
	at 3.5		vertical	0.70	9.60	18.2		
	at 3.5		vertical	0.60	1.62	3.7		
SAM17-TR06 EXT	0.00	1.7	along strike	1.70	12.10	9.4		
		at 0.2	vertical	0.40	7.49	5.5		
	0.0	1.6	along dip	1.60	2.10	4.1	3.1 m of 1.60 g/t Au and 3.5 g/t Ag	
	1.6	3.1	along dip	1.50	1.07	2.9		
	7.5	8.5	along dip	1.00	14.00	27.4	4.6 m of 13.07 g/t Au and 20.1 g/t Ag	
	8.5	9.5	along dip	1.00	13.00	15.5		
	9.5	10.5	along dip	1.00	12.80	9.9		
	10.5	12.1	along dip	1.60	12.70	24.8		
	7.5	7.5	vertical	0.40	37.90	39.4	1.1 m of 14.67 g/t Au and 15.9 g/t Ag	
	7.5	7.5	vertical	0.70	1.39	2.5		
	10.0	10.0	vertical	1.30	20.20	25.6		
	10.5	10.5	vertical	0.40	12.10	53.7		
	12.5	12.5	vertical	0.50	2.62	10.3		
	15.7	17.1	along strike	1.40	13.00	9.5		
	16.5	16.5	vertical	0.60	14.30	10.9		
	17.1	17.1	vertical	0.90	6.37	5.9		
	21.1	22.6	along dip	1.50	62.30	31.8	7.7 m of 18.51 g/t Au and 13.2 g/t Ag	
	22.6	23.6	along dip	1.00	0.07	0.4		
	23.6	24.8	along dip	1.20	14.30	15.4		
	24.8	26.8	along dip	2.00	11.10	8.6		
	26.8	27.8	along dip	1.00	6.31	7.0		
	27.8	28.8	along dip	1.00	3.36	10.6		
22.0	22.0	vertical	0.40	13.20	15.1			
22.6	22.6	vertical	0.60	128.10	94.2			
26.5	26.5	vertical	1.00	1.39	2.1	2.0 m of 4.62 g/t Au and 6.9 g/t Ag (samples collected from the hanging wall of interval above - 7.7m)		
26.5	26.5	vertical	1.00	7.86	11.8			
22.0	22.0	vertical	1.30	1.17	0.8	1.7 m of 6.63 g/t Au and 6.8 g/t Ag		
22.0	22.0	vertical	0.40	24.40	26.4			
22.6	22.6	vertical	0.60	68.40	45.2			

2017 Las Conchitas Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
SAM17-TR-06 EXT PIT	at 1.0 of the pit		along dip	0.80	7.62	5.6	
	0.0	1.5	along strike	1.50	9.65	9.1	
	at 1.5 of the pit		vertical	0.70	4.16	11.6	
	at 3.0 of the pit		along dip	1.00	2.41	1.8	3.8 m of 4.62 g/t Au and 3.5 g/t Ag
	at 3.0 of the pit		along dip	1.40	6.49	3.4	
	at 3.0 of the pit		along dip	1.40	4.32	4.7	
	at 3.0		vertical	0.70	3.50	7.9	
	at 4.5 of the pit		along dip	0.60	1.47	2.2	
	at 4.5		vertical	0.50	2.51	1.8	
	at 7.2 of the pit		along dip	1.00	13.00	30.1	4.1 m of 15.66 g/t Au and 20.9 g/t Ag
	at 7.2 of the pit		along dip	1.20	21.40	12.6	
	at 7.2 of the pit		along dip	1.00	14.00	22.0	
	at 7.2 of the pit		along dip	0.90	12.80	20.7	
	6.2	7.7	along strike	1.50	27.90	36.3	
	at 7.2 of the pit		vertical	0.60	4.56	12.0	
at 7.0 of the pit		vertical	0.80	9.60	6.0		
at 7.70 of the pit		vertical	0.50	4.92	3.8		
SAM17-CATA 15	3.0	4.6	along strike	1.60	1.70	7.8	3.6 m of 1.27 g/t Au and 6.86 g/t Ag
	4.6	5.6	along strike	1.00	0.70	7.8	
	5.6	6.6	along strike	1.00	1.16	4.4	
	at 4.0		vertical	1.00	2.78	5.7	
	at 7.0		vertical	1.00	2.91	4.3	sample collected from a hanging wall of the interval above
	at 10.5		vertical	1.00	1.69	4.3	waste dump material
	at 10.5		vertical	1.50	1.72	6.4	
	at 13.5		vertical	1.30	5.50	8.9	waste dump material
at 13.5		vertical	0.80	15.00	33.6	continued sample below the waste dump material	
at 14.5		vertical	0.70	9.65	28.3		
SAM 17-CATA 18	at 3.5		vertical	0.80	2.99	2.0	waste dump material
	4.0	5.0	along dip	1.00	31.70	90.1	2.0 m of 27.05 g/t Au and 57.7 g/t Ag
	5.0	6.0	along dip	1.00	22.40	25.2	
	at 5.0		vertical	1.00	3.33	2.3	1.7 m of 4.50 g/t Au and 5.9 g/t Ag - waste dump material
	at 5.0		vertical	0.70	6.18	11.0	
	at 5.0		vertical	1.00	6.16	21.4	continued sample below the waste dump material
4.5	4.5	vertical	1.00	9.20	13.6		
SW Extension of Intermediate Zone							
SAM 17-TR 07	0.0	2.0	along dip	2.00	5.18	6.0	10.0 m of 9.64 g/t Au and 13.8 g/t Ag - highly oxidized country rock
	2.0	4.0	along dip	2.00	18.90	10.2	
	4.0	6.0	along dip	2.00	14.80	11.5	
	6.0	8.0	along dip	2.00	8.20	39.8	
	8.0	10.0	along dip	2.00	1.11	1.4	
	at 1.0		vertical	1.20	1.21	1.8	waste dump material
	at 1.0		vertical	0.70	9.90	9.0	highly oxidized country rock with quartz fragments
	at 4.0		vertical	0.80	1.57	4.6	waste dump material
	at 4.0		vertical	0.80	0.54	0.6	2.0 m of 1.58 g/t Au and 3.5 g/t Ag - highly oxidized country rock with quartz fragments
	at 4.0		vertical	1.20	2.27	5.4	
	at 8.0		vertical	1.90	5.43	4.8	highly oxidized country rock
	at 12.0		vertical	1.00	1.92	4.7	waste dump material
	at 12.0		vertical	1.40	1.07	2.4	highly oxidized country rock with quartz fragments
	15.0	16.2	along dip	1.20	9.47	11.3	8.7 m of 8.50 g/t Au and 11.5 g/t Ag
16.2	17.7	along dip	1.50	13.30	14.0		
17.7	19.7	along dip	2.00	1.34	1.5		

2017 Las Conchitas Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
	19.7	21.7	along dip	2.00	13.60	27.9	
	21.7	23.7	along dip	2.00	6.39	3.2	
	at 16.0		vertical	1.30	3.76	2.0	highly oxidized country rock
	at 17.7		vertical	0.50	25.40	24.6	quartz vein with highly oxidized country rock
	at 18.3		vertical	0.90	1.70	5.1	waste dump material
	at 18.3		vertical	0.80	3.35	4.8	highly oxidized country rock
	at 22.0		vertical	1.30	3.74	4.4	highly oxidized country rock with quartz fragments
	at 25.0		vertical	1.20	1.98	3.4	2.2 m of 13.35 g/t Au and 20.3 g/t Ag - waste dump material
	at 25.0		vertical	1.00	27.00	40.6	
SAM17-TR 11	at 0.0		vertical	0.80	27.60	17.4	waste dump material
	at 2.0		vertical	0.90	1.33	3.1	1.9 m of 4.81 g/t Au and 6.9 g/t Ag - waste dump material
	at 2.0		vertical	1.00	7.95	10.3	
	at 4.0		vertical	1.40	5.40	5.9	waste dump material
	at 10.0		vertical	1.00	7.87	12.0	waste dump material
	at 14.0		vertical	0.60	23.40	27.4	waste dump material
SAM17-TR 12	19.3	21.3	along dip	2.00	2.28	3.4	6.0 m of 2.21 g/t Au and 4.1 g/t Ag - waste dump material
	21.3	23.3	along dip	2.00	1.87	3.6	
	23.3	25.3	along dip	2.00	2.49	5.3	
	at 19.3		vertical	1.50	2.08	4.3	waste dump material
	at 21.3		vertical	0.50	10.90	10.5	1.7 m of 5.01 g/t Au and 4.1 g/t Ag - waste dump material
	at 21.3		vertical	1.20	2.56	1.4	
	at 23.3		vertical	0.60	7.23	10.3	2.0 m of 8.65 g/t Au and 6.0 g/t Ag - waste dump material
at 23.3		vertical	1.40	9.26	4.1		
	at 27.3		vertical	1.00	3.26	5.0	2.0 m of 4.42 g/t Au and 6.2 g/t Ag - waste dump material
	at 27.3		vertical	1.00	5.58	7.3	
Mango Zone							
SAM17-TR 15	12.1	13.6	along dip	1.50	2.29	2.0	3.0 m of 2.42 g/t Au and 1.9 g/t Ag - waste dump material
	13.6	15.1	along dip	1.50	2.55	1.7	
	at 9.5		vertical	1.50	2.29	2.0	2.0 m of 2.18 g/t Au and 4.9 g/t Ag - waste dump material
	at 9.5		vertical	1.50	2.55	1.7	
	at 10.5		vertical	1.00	1.59	4.4	3.1 m of 1.46 g/t Au and 2.7 g/t Ag - waste dump material
	at 10.5		vertical	1.10	0.34	1.1	
	at 10.5		vertical	1.00	2.56	2.9	
	at 12.1		vertical	1.50	2.01	2.7	2.5 m of 1.67 g/t Au and 2.6 g/t Ag - waste dump material
	at 12.1		vertical	1.00	1.16	2.5	
	at 15.1		vertical	1.50	3.18	2.8	waste dump material
	at 24.1		vertical	0.80	3.24	5.9	highly oxidized country rock
	at 27.1		vertical	1.00	5.82	6.7	waste dump material
	at 28.6		vertical	1.00	3.50	14.4	highly oxidized country rock
at 30.6		vertical	0.80	1.05	2.8	1.8 m of 1.26 g/t Au and 7.0 g/t Ag - quartz vein with highly oxidized country rock in hanging wall	
at 30.6		vertical	1.00	1.42	10.4		
33.7	34.8	along dip	1.10	11.23	65.2	quartz vein with country rock	
	at 34.8		vertical	1.00	2.48	23.2	quartz vein with country rock
SAM17-TR 16	3.4	4.4	along dip	1.00	2.12	1.5	quartz vein
	at 3.0		vertical	1.10	2.71	4.3	quartz vein
	at 13.1		vertical	0.80	1.26	2.6	quartz vein
	at 21.6		vertical	2.50	6.74	2.5	quartz vein with country rock
SAM17-TR-20	at 4.0		vertical	1.8	13.00	11.1	highly oxidized country rock
Cruz Grande Zone							
	0	1.4	along dip	1.40	1.63	14.0	2.7 m of 2.02 g/t Au and 12.5 g/t Ag

2017 Las Conchitas Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
EXP17-SAM12-TR-11	1.4	2.7	along dip	1.30	2.43	10.9	2.7 m of 2.02 g/t Au and 12.5 g/t Ag
	1.3	2.6	along dip	1.30	7.13	19.8	3.8 m of 3.49 g/t Au and 11.3 g/t Ag
	2.6	3.9	along dip	1.30	1.92	9.8	
	3.9	5.1	along dip	1.20	1.25	3.8	
	at 1.3		vertical	1.00	3.14	3.6	
	1.3		vertical	0.50	6.26	12.5	quartz vein
	2.8		vertical	0.70	9.44	7.0	quartz vein
	3.8		vertical	1.10	1.67	4.2	quartz vein
	3.7	4.1	(along strike)	0.40	1.97	5.8	quartz vein
	at 4.8		vertical	0.70	1.98	3.2	1.7 m of 5.46 g/t Au and 5.6 g/t Ag - quartz vein with highly oxidized country rock in footwall
	at 4.8		vertical	1.00	7.90	7.2	
	at 4.9		vertical	1.00	5.10	21.0	1.8 m of 4.04 g/t Au and 12.8 g/t Ag - quartz vein with highly oxidized country rock in hanging wall
	at 4.9		vertical	0.80	2.72	2.5	
	at 5.0		vertical	0.70	3.97	3.30	quartz vein
	at 5.1		vertical	0.70	7.35	16.7	1.7 m of 4.59 g/t Au and 8.5 g/t Ag - quartz vein with highly oxidized country rock in footwall
	at 5.1		vertical	1.00	2.65	2.7	
	1.2	2.3	along strike	1.10	12.23	16.1	2.4 m of 17.03 g/t Au and 13.1 g/t Ag
	2.3	3.6	along strike	1.30	21.09	10.5	
	0	1.2	along strike	1.20	3.28	2.9	4.4 m of 3.50 g/t Au and 25.0 g/t Ag
	1.2	2.2	along strike	1.00	4.48	73.7	
	2.2	3.2	along strike	1.00	0.29	1.0	
	3.2	4.4	along strike	1.20	5.56	26.5	
	at 2.4		vertical	0.70	3.01	2.5	1.7 m of 2.35 g/t Au and 2.4 g/t Ag - quartz vein with highly oxidized country rock in footwall
at 2.4		vertical	1.00	1.88	2.3		
at 1.7		vertical	1.00	12.58	11.2	quartz vein	
at 0.8		vertical	1.00	3.10	16.9	quartz vein	
SAM17-TR-17	8.5	9.8	along dip	1.30	6.06	5.7	8.6 m of 7.33 g/t Au and 8.5 g/t Ag
	9.8	10.8	along dip	1.00	33.20	21.2	
	10.8	11.3	vertical	1.20	5.39	11.0	
	11.3	13.2	along dip	1.90	0.04	0.8	
	13.2	14.2	along dip	1.00	6.84	19.3	
	14.2	15.4	along dip	1.20	4.69	4.3	
	15.4	16.4	along dip	1.00	2.97	5.1	
	at 3.7		vertical	0.60	1.02	0.9	highly oxidized country rock
	at 7.0		vertical	1.00	3.49	3.5	highly oxidized country rock
	at 8.5		vertical	0.80	1.45	1.9	highly oxidized country rock
	at 13.2		vertical	1.50	4.19	23.0	2.6 m of 5.54 g/t Au and 20.4 g/t Ag - highly oxidized country rock
	at 13.2		vertical	1.10	7.38	16.8	
	at 15.4		vertical	1.50	1.05	0.8	2.6 m of 5.22 g/t Au and 9.3 g/t Ag - quartz vein with highly oxidized country rock in hanging wall
at 15.4		vertical	1.10	10.90	21.0		
at 17.4		vertical	1.20	13.20	8.5	highly oxidized country rock	
SAM17-TR-18	8.1	9.1	along dip	1.00	1.19	2.5	2.40 m of 1.18 g/t Au and 2.0 g/t Ag
	9.1	10.5	along dip	1.40	1.16	1.6	
	at 6.0		vertical	1.50	13.20	6.5	quartz vein and highly oxidized country rock
	at 6.0		vertical	1.20	1.65	11.6	highly oxidized country rock
	at 7.1		vertical	1.50	1.33	2.5	quartz vein and highly oxidized country rock
	at 8.1		vertical	1.50	1.07	1.8	highly oxidized country rock
8.1	8.1	along strike	1.40	2.52	3.2	quartz vein	
	1.0	2.1	along dip	1.10	1.96	1.4	
	2.1	2.4	vertical	0.90	9.96	4.9	

2017 Las Conchitas Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
SAM17-TR-19	2.4	3.8	along dip	1.40	0.23	<0,3	11.8 m of 2.74 g/t Au and 1.6 g/t Ag - quartz vein with highly oxidized country rock in hanging wall and footwall
	4.2	3.8	vertical	0.90	0.03	0.3	
	4.5	4.2	vertical	1.00	1.49	1.8	
	4.5	6.0	along dip	1.50	3.00	1.7	
	6.0	7.5	along dip	1.50	1.40	1.5	
	7.5	8.9	along dip	1.40	1.15	0.6	
	8.9	9.4	vertical	1.30	0.02	<0,3	
	9.4	10.4	along dip	1.00	1.33	0.4	
	10.6	10.4	vertical	1.40	0.04	<0,3	
	10.6	11.6	along dip	1.00	8.20	3.5	
	11.6	12.8	along dip	1.20	1.28	<0,3	
SAM17-CATA-23	3.0	4.0	along dip	1.00	2.55	2.4	highly oxidized country rock
		at 4.0	vertical	1.00	1.31	1.6	quartz vein
Las Dolores Zone							
SAM17-TR-21		at 6.8	vertical	1.00	3.28	7.7	quartz vein with highly oxidized country rock
		at 6.8	vertical	0.90	66.50	98.8	quartz vein
		at 8.8	vertical	1.50	16.30	9.7	highly oxidized country rock
		at 8.8	vertical	1.00	2.62	3.7	quartz vein with highly oxidized country rock
SAM17-TR-22	13.9	14.9	along dip	1.00	18.70	44.6	7.3 m of 9.34 g/t Au and 10.9 g/t Ag - quartz vein with highly oxidized country rock
	14.9	16.4	along dip	1.50	9.28	6.3	
	16.7	17.7	along dip	1.00	10.40	13.8	
	17.7	18.5	along dip	0.80	9.43	3.9	
	18.5	20.0	along dip	1.50	10.80	4.3	
	20.0	21.5	along dip	1.50	0.94	1.5	
		at 7.1	vertical	1.50	10.20	2.5	highly oxidized country rock
		at 12.0	vertical	1.60	8.48	7.6	highly oxidized country rock
		at 13.9	vertical	1.60	4.39	22.0	quartz vein with highly oxidized country rock
		at 16.4	vertical	1.20	6.77	8.2	2.5 m of 4.00 g/t Au and 5.8 g/t Ag - highly oxidized country rock and quartz vien
	at 16.4	vertical	1.30	1.45	3.6		
	at 17.0	vertical	0.80	3.71	6.3	quartz vein with highly oxidized country rock	
SAM17-TR-23	23.7	25.2	along dip	1.50	1.01	3.3	quartz vein
SAM17-TR-27		at 0.6	vertical	1.20	3.85	9.3	highly oxidized country rock
		at 14.8	vertical	1.00	16.40	33.5	2.00 m of 8.94 g/t Au and 21.1 g/t Ag - quartz vein with highly oxidized country rock in footwall
		at 14.8	vertical	1.00	1.47	8.7	
		at 15.8	vertical	1.00	8.10	24.8	2.00 m of 13.80 g/t Au and 27.4 g/t Ag - quartz vein with highly oxidized country rock
		at 15.8	vertical	1.00	19.50	29.9	
		at 17.1	vertical	1.00	1.37	4.3	quartz vein with highly oxidized country rock
	at 18.2	vertical	0.50	35.50	48.3	quartz vein	
SAM17-TR-28		at 3.0	vertical	1.00	5.91	0.3	highly oxidized country rock
		at 27.4	vertical	0.70	2.82	3.7	highly oxidized country rock
		at 30.2	vertical	0.80	1.08	0.7	highly oxidized country rock
SAM17-TR-29		at 29.0	vertical	1.50	3.36	9.1	dump material
SAM17-CATA-109 (Exp Pit)		at 0.0	vertical	1.30	1.04	2.2	quartz vein
		at 1.0	vertical	1.30	13.80	12.7	quartz vein
		at 2.5	vertical	0.80	1.47	3.0	quartz vein
		at 4.2	vertical	1.20	2.68	2.0	highly oxidized country rock
		at 3.9	vertical	1.00	3.79	1.7	highly oxidized country rock

2017 Las Conchitas Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
SAM17-CATA-111 (Exp Pit)	0	1.2	along dip	1.20	2.20	2.8	quartz vein
	0.0	1.2	along dip	1.20	0.92	1.2	2.50 m of 8.19 g/t Au and 12.0 g/t Ag - quartz vein
	1.2	2.5	along dip	1.30	14.90	22.0	
	at 2.0		vertical	0.70	8.93	15.7	1.70 m of 8.06 g/t Au and 12.5 g/t Ag - quartz vein with highly oxidized country rock
	at 2.0		vertical	1.00	7.45	10.2	
at 0.4		vertical	1.00	138.20	156.0	highly oxidized country rock with quartz veinlets	