

2017 Mina Francisco / Intermediate Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
SAM17-TR01	at 1.8		vertical	1.40	1.76	1.0	
	at 10.5		vertical	1.70	2.34	3.1	
SAM17-TR02	at 11.5		vertical	1.00	1.59	0.9	
	at 9.7		vertical	1.00	3.45	18.5	
	at 9.9		vertical	1.30	8.88	26.4	
	at 10.5		vertical	1.00	4.39	2.3	3.0 m of 2.27 g/t Au and 4.3 g/t Ag
	at 10.5		vertical	0.80	0.13	0.5	
	at 10.5		vertical	1.20	1.93	8.4	
	at 10.7		vertical	0.70	1.78	9.7	
	at 10.5		vertical	1.10	4.79	4.2	
	at 11.5		vertical	1.10	4.80	17.1	2.1 m of 2.99 g/t Au and 9.9 g/t Ag
	at 10.3		vertical	1.00	1.01	2.0	
	at 10.7		vertical	1.50	1.20	2.7	
at 11.5		vertical	1.00	2.37	10.6		
at 11.5		vertical	1.00	2.77	5.0		
SAM17-TR04	23.7	24.7	along dip	1.00	9.95	26.4	
	at 23.8		vertical	0.80	5.23	18.0	sample collected above sample 164218 (hanging wall)
	at 22.2		vertical	1.00	1.08	0.5	sample collected above sample 164218 (hanging wall)
SAM17-TR04 EXT	0.0	1.0	along dip	1.00	4.36	4.1	3.0 m of 7.90 g/t Au and 14.0 g/t Ag
	1.0	2.0	along dip	1.00	8.34	5.2	
	2.0	3.0	along dip	1.00	11.00	32.6	
	at 3.2		vertical	1.00	1.42	4.0	
	at 4.0		vertical	0.70	2.67	6.3	
	at 5.2		vertical	0.80	2.14	6.3	
	at 8.5		vertical	1.00	7.98	7.2	Vertical sample collected between two mineralized intervals (3.0m and 10.8m)
	at 9.5		vertical	1.00	5.98	7.2	Vertical sample collected between two mineralized intervals (3.0m and 10.8m)
	15.5	17.5	along dip	2.00	6.59	3.9	10.8 m of 9.39 g/t Au and 10.8 g/t Ag
	17.5	19.5	along dip	2.00	22.60	29.2	
	19.5	21.0	along dip	1.50	8.54	7.1	
	21.0	22.0	along dip	1.00	8.36	19.5	
	22.0	23.0	along dip	1.00	2.59	3.2	
	23.0	24.0	along dip	1.00	0.68	1.2	
24.0	25.3	along dip	1.30	13.40	11.7		
25.3	26.3	along dip	1.00	1.17	0.8		
at 16.5		vertical	1.00	5.02	6.6	sample taken from a hanging wall of the interval above	
at 18.5		vertical	0.50	12.80	7.9	sample taken from a hanging wall of the interval above	

2017 Mina Francisco / Intermediate Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					

SAM17-TR06	0.0	1.5	along dip	1.50	1.85	5.9	3.5 m of 3.81 g/t Au and 9.9 g/t Ag
	1.5	2.5	along dip	1.00	5.36	15.3	
	2.5	3.5	along dip	1.00	5.20	10.4	
	0.0	1.0	along dip	1.00	16.00	7.1	3.0 m of 13.10 g/t Au and 17.9 g/t Ag
	1.0	2.0	along dip	1.00	10.70	18.8	
	2.0	3.0	along dip	1.00	12.60	27.9	
	7.9	9.2	along dip	1.30	8.51	7.0	
		at 0.5	vertical	0.60	5.20	4.0	
	at 1.5	vertical	0.70	1.80	5.7		
	at 3.5	vertical	0.70	9.60	18.2		
	at 3.5	vertical	0.60	1.62	3.7		

SAM17-TR06 EXT	0.00	1.7	along strike	1.70	12.10	9.4	
		at 0.2	vertical	0.40	7.49	5.5	
	0.0	1.6	along dip	1.60	2.10	4.1	3.1 m of 1.60 g/t Au and 3.5 g/t Ag
	1.6	3.1	along dip	1.50	1.07	2.9	
	7.5	8.5	along dip	1.00	14.00	27.4	4.6 m of 13.07 g/t Au and 20.1 g/t Ag
	8.5	9.5	along dip	1.00	13.00	15.5	
	9.5	10.5	along dip	1.00	12.80	9.9	
	10.5	12.1	along dip	1.60	12.70	24.8	
	7.5	7.5	vertical	0.40	37.90	39.4	1.1 m of 14.67 g/t Au and 15.9 g/t Ag
	7.5	7.5	vertical	0.70	1.39	2.5	
	10.0	10.0	vertical	1.30	20.20	25.6	
	10.5	10.5	vertical	0.40	12.10	53.7	
	12.5	12.5	vertical	0.50	2.62	10.3	
	15.7	17.1	along strike	1.40	13.00	9.5	
	16.5	16.5	vertical	0.60	14.30	10.9	
	17.1	17.1	vertical	0.90	6.37	5.9	
	21.1	22.6	along dip	1.50	62.30	31.8	7.7 m of 18.51 g/t Au and 13.2 g/t Ag
	22.6	23.6	along dip	1.00	0.07	0.4	
	23.6	24.8	along dip	1.20	14.30	15.4	
	24.8	26.8	along dip	2.00	11.10	8.6	
26.8	27.8	along dip	1.00	6.31	7.0		
27.8	28.8	along dip	1.00	3.36	10.6		
22.0	22.0	vertical	0.40	13.20	15.1		
22.6	22.6	vertical	0.60	128.10	94.2		
26.5	26.5	vertical	1.00	1.39	2.1	2.0 m of 4.62 g/t Au and 6.9 g/t Ag (samples collected from the hanging wall of interval above - 7.7m)	
26.5	26.5	vertical	1.00	7.86	11.8		
22.0	22.0	vertical	1.30	1.17	0.8	1.7 m of 6.63 g/t Au and 6.8 g/t Ag	
22.0	22.0	vertical	0.40	24.40	26.4		
22.6	22.6	vertical	0.60	68.40	45.2		

2017 Mina Francisco / Intermediate Trenching Results

Trench No.	Sample Interval (m)		Sample Orientation	Width (m)	Au (g/t)	Ag (g/t)	Interval Average and Description
	From	To					
SAM17-TR-06 EXT PIT	at 1.0 of the pit		along dip	0.80	7.62	5.6	
	0.0	1.5	along strike	1.50	9.65	9.1	
	at 1.5 of the pit		vertical	0.70	4.16	11.6	
	at 3.0 of the pit		along dip	1.00	2.41	1.8	3.8 m of 4.62 g/t Au and 3.5 g/t Ag
	at 3.0 of the pit		along dip	1.40	6.49	3.4	
	at 3.0 of the pit		along dip	1.40	4.32	4.7	
	at 3.0		vertical	0.70	3.50	7.9	
	at 4.5 of the pit		along dip	0.60	1.47	2.2	
	at 4.5		vertical	0.50	2.51	1.8	
	at 7.2 of the pit		along dip	1.00	13.00	30.1	4.1 m of 15.66 g/t Au and 20.9 g/t Ag
	at 7.2 of the pit		along dip	1.20	21.40	12.6	
	at 7.2 of the pit		along dip	1.00	14.00	22.0	
	at 7.2 of the pit		along dip	0.90	12.80	20.7	
	6.2 7.7		along strike	1.50	27.90	36.3	
	at 7.2 of the pit		vertical	0.60	4.56	12.0	
at 7.0 of the pit		vertical	0.80	9.60	6.0		
at 7.70 of the pit		vertical	0.50	4.92	3.8		
SAM17-CATA 15	3.0	4.6	along strike	1.60	1.70	7.8	3.6 m of 1.27 g/t Au and 6.86 g/t Ag
	4.6	5.6	along strike	1.00	0.70	7.8	
	5.6	6.6	along strike	1.00	1.16	4.4	
	at 4.0		vertical	1.00	2.78	5.7	
	at 7.0		vertical	1.00	2.91	4.3	sample collected from a hanging wall of the interval above
	at 10.5		vertical	1.00	1.69	4.3	waste dump material
	at 10.5		vertical	1.50	1.72	6.4	
	at 13.5		vertical	1.30	5.50	8.9	waste dump material
at 13.5		vertical	0.80	15.00	33.6	continued sample below the waste dump material	
at 14.5		vertical	0.70	9.65	28.3		
SAM 17-CATA 18	at 3.5		vertical	0.80	2.99	2.0	waste dump material
	4.0	5.0	along dip	1.00	31.70	90.1	2.0 m of 27.05 g/t Au and 57.7 g/t Ag
	5.0	6.0	along dip	1.00	22.40	25.2	
	at 5.0		vertical	1.00	3.33	2.3	1.7 m of 4.50 g/t Au and 5.9 g/t Ag - waste dump material
	at 5.0		vertical	0.70	6.18	11.0	
	at 5.0		vertical	1.00	6.16	21.4	continued sample below the waste dump material
4.5	4.5	vertical	1.00	9.20	13.6		